



NTN BEARING DRIVESHAFT ANDERSON, INC.



SKF NSK Koyo Automotive Deep Groove Ball Bearing 16002 16004

Bearing No. 16002

16002 Bearing 2D drawings and 3D CAD models

Size	15x32x8 mm
Bore Diameter	15 mm
Outer Diameter	32 mm
Width	8 mm
d	15 mm
D	32 mm
B	8 mm
C	8 mm
r min.	0,3 mm
da min.	17 mm
Da max.	30 mm
ra max.	0,3 mm
Weight	0,025 Kg
Basic dynamic load rating (C)	5,6 kN
Basic static load rating (C0)	2,85 kN
(Grease) Lubrication Speed	23000 r/min
(Oil) Lubrication Speed	28000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0060579000245
Product Group	B00308
Enclosure	Open



NTN BEARING DRIVESHAFT ANDERSON, INC.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 32MM Outside Diameter; 8MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Weight / LBS	0.05511
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.315 Inch 8 Millimeter
Bore	0.591 Inch 15 Millimeter
Outside Diameter	1.26 Inch 32 Millimeter
Bearing No.	16002
r(min)	0.3
Cr	7.00
C0r	2.85
Cu	0.150



NTN BEARING DRIVESHAFT ANDERSON, INC.

f0	13.9
Grease lub.	23000
Oil lub.	28000
da(min)	17
Da(max)	30
ra(max)	0.3
(Refer.) Mass(kg)	0.025